



New smart terminal with industrial durability!

NBP-50II



Android OS



5" Full Touch Screen



IP67 Certified



Contactless Network



1D&2D Barcode Scanner




Physical Functions Keys



4660mAh Battery



Light Weight



IP67 Certification, waterproof up to 1 meter of water for 30 mins



- With IP67 rating, it protects when submerged in up to 1 meter of water for 30 minutes duration and offers excellent dustproof ability.
- Android 5.1+ OS has improved the effective memory management.
- You can experience the faster data communication speed than ever with 4G LTE.
- With 64bit, Octa-Core, 1.3GHz, Dual-SIM Standby, it provides high speed performance.
- Large screen size (5") with multi-touch IPS panel can be suitable for a best solution in industrial field.

2M drop passed



- NBP-50II withstands from 2 meter drop, -20°C ~ 55°C in any harsh environments.
- 2 megapixel front / 13 megapixel rear camera, auto focus and LED flash functions deliver clear capture of images even in the dark.
- Only need one-click to use your favorite functions by using Custom key.



Rear side barcode scanner

Fast and Accurate scanning Performance



1D / 2D Barcode

NBP-50, a rear side barcode scanner delivers a fast, accurate scanning.

It is easy to capture even damaged, scuffed barcodes on the first scan.



4660mAh large size battery


Compact yet Long-life battery



4660mAh large battery capacity enhances your work productivity and efficiency that lasts all shift long on a single charge.

STAND - BY TIME	300+ hrs	WORKING TIME	24+ hrs	CHARGING TIME	Within 5 hrs
-----------------	----------	--------------	---------	---------------	--------------

Product



Applications



Storage



Logistics



Security



Rescue

Specifications

PERFORMANCE CHARACTERISTICS	
Model Name	NBP-50II
OS	Android 5.1+
CPU	MT6753 (64bit, Octa-Core, 1.3GHz)
RAM	2GB RAM / 16GB Storage
Extended Memory	Micro SD 128G Maximum
Display	5"(12.70cm), IPS, 1280x720 Resolution (Sunlight readable)
INTEGRATED RADIO	
WWAN	LTE FDD Band1/7/3/4, TD_LTE 38(2600), 39(1900),40(2300), 41(100M), GSM 2(1900), 3(1800), 8(900), WCDMA 1(2100), 2(1900), 5(850), TD_SCDMA 34(2000), 39(1900), CDMA BCO
WLAN	IEEE 802.11 a/b/g/n
WPAN	Bluetooth 4.0 BLE
GPS	GPS+BeiDou, AGPS
DATA CAPTURE	
Barcode Scanner	2D Imager (1D/2D Barcode)
Contactless	13.56MHz, ISO14443A/B, ISO15693, NFC
Rear Camera	13M AF with LED Flash
Front Camera	2M
PHYSICAL CHARACTERISTICS	
Size	152.5 x 76 x 16 (mm)
Weight	230g
Battery	Lithium Polymer Battery, 4660mAh
Interface	Micro USB 2.0
SIM Slot	Dual SIM
Sensors	Gravity sensor, Electronic compasses, Beam sensor, Distance sensor, Barometer, Gyroscope(Optional)
ENVIROMENT	
Operating Temperature	-20 °C ~ 55 °C
Storage Temperature	-40 °C ~ 70 °C
Humidity	5% ~ 95%
Water & Dust proof rate	IP67

Package



SEWOO TECH CO., LTD.

28-6, Gajangsaneopdong-ro, Osan-si, Gyeonggi-do, 447-210 Republic of Korea

T. +82-31-8077-5000 F. +82-31-459-8880

www.miniprinter.com